Available online at www.sciencedirect.com
SCIENCE DIRECT®
Aquaculture
ELSEVIER
Aquaculture 235 (2004) 663–666
www.elsevier.com/locate/aqua-online

Contents of *Aquaculture*, Volume 235

VOL. 235 NOS. 1–4 **1 June 2004**

Review aricle

Effects of the dietary protein/lipid ratio on growth and nutrient utilization in common dentex (*Dentex dentex* L.) at different growth stages
A. Skalli, M.C. Hidalgo (Granada, Spain), E. Abellán, M. Arizcun (Murcia, Spain) and G. Cardenete (Granada, Spain) 1

Diseases

Changes in prevalence of clinical infectious pancreatic necrosis among farmed Scottish Atlantic salmon, *Salmo salar* L. between 1990 and 2002
D.W. Bruno (Aberdeen, UK) 13

Efficacy of orally administered florfenicol and oxolinic acid for the treatment of vibriosis in cod (*Gadus morhua*)
O.B. Samuelsen and Ø. Bergh (Bergen, Norway) 27

The analysis of expressed genes in head kidney of common carp *Cyprinus carpio* L. stimulated with peptidoglycan
T. Kono (Miyazaki, Japan), A. Ponpornpisit (Bangkok, Thailand) and M. Sakai (Miyazaki, Japan) . 37

Comparative pharmacokinetics of oxytetracycline in eel and its fate in a closed aquatic environment
R. Ueno, A. Kinoshita and J. Wakabayashi (Tsu, Japan). 53

Depletion of the chloramine-T marker residue, *para*-toluenesulfonamide, from skin-on fillet tissue of hybrid striped bass, rainbow trout, and yellow perch
J.R. Meinertz, G.R. Stehly, S.L. Greseth, M.P. Gaikowski and W.H. Gingerich (La Crosse, WI, USA) 65

Biocontrol of saprolegniosis in silver perch *Bidyanus bidyanus* (Mitchell) by *Aeromonas media* strain A199
M.J. Lategan, F.R. Torpy and L.F. Gibson (St. Leonards, NSW, Australia) 77

Metazoan parasites in wild fish and farmed salmon from aquaculture sites in southern Chile
F. Sepúlveda, S.L. Marín and J. Carvajal (Puerto Montt, Chile). 89

The influence of nutritional and environmental factors on osmoregulation and cataracts in Atlantic salmon (*Salmo salar* L)
E. Bjerkås (Oslo, Norway) and H. Sveier (Dirdal, Norway) 101

Effect of threadfin aquareovirus recombinant proteins on the resistance of guppy (*Peocilia reticulata*) to guppy aquareovirus infection
S.H. Sim, E.K. Seng, S.Y. Lim, T.J. Lam and Y.M. Sin (Singapore) 123

Multiplex PCR for the diagnosis of red sea bream iridoviruses isolated in Korea
J. Bum Jeong (Busan, South Korea), K. Hyun Park (Jeon-nam, South Korea), H. Yeoul Kim, S. Hee Hong, K. Hong Kim, J.-K. Chung (Busan, South Korea), J.L. Komisar (Silver Spring, MD, USA) and H. Do Jeong (Busan, South Korea) 139

Genetics

Phylogenetic relationships of commercial European and Australasian king scallops (*Pecten* spp.) based on partial 16S ribosomal RNA gene sequences
C. Saavedra and J.B. Peña (Castellón, Spain) 153

Genetic impacts of hybrid catfish farming (*Clarias macrocephalus*×*C. gariepinus*) on native catfish populations in central Thailand
W. Senanan (Chonburi, Thailand), A.R. Kapuscinski (St. Paul, MN, USA), U. Na-Nakorn (Bangkok, Thailand) and L.M. Miller (St. Paul, MN, USA) 167
Triploid lion-paw scallop (*Nodipecten subnodosus* Sowerby); growth, gametogenesis, and gametic cell frequencies when grown at a high food availability site
R. Maldonado-Amparo, J.L. Ramírez, S. Ávila and A.M. Ibarra (La Paz, Mexico). 185
Loss of genetic variation at microsatellite loci in hatchery strains of the Pacific abalone (*Haliotis discus hannai*)
Q. Li (Qingdao, China), C. Park (Oshika, Japan), T. Endo (Kamaishi, Japan) and A. Kijima (Oshika, Japan) 207
Heritability estimates for growth-related traits using microsatellite parentage assignment in juvenile common carp (*Cyprinus carpio* L.)
M. Vandeputte (Jouy-en-Josas, France), M. Kocour (Vodnany, Czech Republic), S. Mauger, M. Dupont-Nivet, D. De Guerry (Jouy-en-Josas, France), M. Rodina, D. Gela (Vodnany, Czech Republic), D. Vallod (Lyon, France), B. Chevassus (Jouy-en-Josas, France) and O. Linhart (Vodnany, Czech Republic) 223
Parentage determination of Kuruma shrimp *Penaeus* (*Marsupenaeus*) *japonicus* using microsatellite markers (Bate)
D.R. Jerry (Armidale, NSW, Australia), N.P. Preston, P.J. Crocos, S. Keys (Cleveland, QLD, Australia), J.R.S. Meadows and Y. Li (Sta. Lucia, QLD, Australia) 237
Performance and heterosis in farmed and wild Chinook salmon (*Oncorhynchus tshawytscha*) hybrid and purebred crosses
C.A. Bryden (Sidney, BC, Canada), J.W. Heath (Campbell River, BC, Canada) and D.D. Heath (Windsor, Ontario, Canada) 249
Genetic variance and covariance for 0+ brook charr (*Salvelinus fontinalis*) weight and survival time of furunculosis (*Aeromonas salmonicida*) exposure
G.M.L. Perry (Ste-Foy, QC, Canada), P. Tarte, S. Croisetière, P. Belhumeur (Montréal, QC, Canada) and L. Bernatchez (Ste-Foy, QC, Canada) 263

Husbandry and Management

Effects of previous ration restriction on compensatory growth in barramundi *Lates calcarifer*
X. Tian (Adelaide, SA, Australia; Qingdao, PR China) and J.G. Qin (Adelaide, Australia) 273
Compensatory growth in juvenile rainbow trout, *Oncorhynchus mykiss* (Walbaum), held individually
J. Nikki, J. Pirhonen (Finland), M. Jobling (Tromsø, Norway) and J. Karjalainen (Tromsø, Finland) 285
Water quality management during transportation of fry of Indian major carps, *Catla catla* (Hamilton), *Labeo rohita* (Hamilton) and *Cirrhinus mrigala* (Hamilton).
R.K. Singh, V.R. Vartak, A.K. Balange and M.M. Ghughuskar (Mumbai, India) 297
Effects of bamboo substrate and supplemental feeding on growth and production of hybrid red tilapia fingerlings (*Oreochromis mossambicus*×*Oreochromis niloticus*)
P. Keshavanath, B. Gangadhar, T.J. Ramesh (Karnataka, India), A.A. van Dam (Wageningen, The Netherlands), M.C.M. Beveridge (Stirling, UK) and M.C.J. Verdegem (Wageningen, The Netherlands) 303
Recovery of sediments after cessation of marine fish farm production
P.M.F. Pereira, K.D. Black (Oban, UK), D.S. McLusky (Stirling, UK) and T.D. Nickell (Oban, UK) 315
High-rate algal pond treatment for water reuse in an integrated marine fish recirculating system: effect on water quality and sea bass growth
G. Deviller, C. Aliaume (Montpellier, France), M.A.F. Nava (Rennes, France), C. Casellas (Montpellier, France) and J.P. Blancheton (Palavas-les-flots, France) 331
The influence of light intensity on the density of different diatoms as feed for juvenile greenlip abalone (*Haliotis laevigata*)
D. Watson (Crawley, WA, Australia), S. Daume (North Beach, WA, Australia), J. Prince, L. Beazley and B. Knott (Crawley, WA, Australia) 345

Quality evaluation of a new strain of Artemia from Chott Marouane (Northeast Algeria)
M.H. Kara (RP. Biskra, Algeria), K.A. Bengraine (Newark, NJ, USA), F. Derbal, L. Chaoui (RP. Biskra, Annaba, Algeria) and M. Amarouayache (Algeria) 361

Nutrition

Growth, feed utilisation, appetite and health in Atlantic salmon (*Salmo salar* L.) fed a new type of high lipid fish meal, Sea Grain®, processed from various pelagic marine fish species
E.M. Hevrøy (Bergen, Norway), K. Sandnes (Storebø, Norway) and G.–I. Hemre (Bergen, Norway) 371

Changes in capacity to synthesise 22:6*n*−3 during early development in rainbow trout (*Oncorhynchus mykiss*)
M.V. Bell and J.R. Dick (Stirling, UK) 393

Evaluation of dietary inclusion of yellow lupin (*Lupinus luteus*) kernel meal on the growth, feed utilisation and tissue histology of rainbow trout (*Oncorhynchus mykiss*)
B. Glencross, D. Evans (North Beach, WA, Australia), W. Hawkins (Perth, WA, Australia) and B. Jones (North Beach, WA, Australia) 411

Growth, chemical composition and resistance to *Streptococcus iniae* challenge of juvenile Nile tilapia (*Oreochromis niloticus*) fed graded levels of dietary inositol
H. Peres (Porto, Portugal), C. Lim and P.H. Klesius (Auburn, AL, USA) 423

Enhanced production of Pacific dulse (*Palmaria mollis*) for co-culture with abalone in a land-based system: nitrogen, phosphorus, and trace metal nutrition
C.L. Demetropoulos (Thousand Oaks, CA, USA) and C.J. Langdon (Newport, OR, USA) 433

Enhanced production of Pacific dulse (*Palmaria mollis*) for co-culture with abalone in a land-based system: effects of seawater exchange, pH, and inorganic carbon concentration
C.L. Demetropoulos (Thousand Oaks, CA, USA) and C.J. Langdon (Newport, OR, USA) 457

Enhanced production of Pacific dulse (*Palmaria mollis*) for co-culture with abalone in a land-based system: effects of stocking density, light, salinity, and temperature
C.L. Demetropoulos (Thousand Oaks, CA, USA) and C.J. Langdon (Newport, OR, USA) 471

Poor bioavailability of oxytetracycline in sharpsnout sea bream *Diplodus puntazzo*
G. Rigos (Attiki, Greece; London, UK), Tyrpenou (Athens, Greece), I. Nengas, A.E.M. Alexis (Attiki, Greece), F. Athanassopoulou (Karditsa, Greece) and G.M. Troisi (Middlesex, UK) 489

Dietary lysine requirement of fingerling Indian major carp, *Cirrhinus mrigala* (Hamilton)
I. Ahmed and M.A. Khan (Aligarh, India) 499

Nutrition of *Litopenaeus vannamei* reared in tanks or in ponds
G. Cuzon (Tahiti, French Polynesia), A. Lawrence (Port Aransas, TX, USA), G. Gaxiola, C. Rosas (UNAM, Mexico) and J. Guillaume (Plouzané, France) 513

In vivo incorporation of [U]-^{14}C-amino acids: an alternative protein labelling procedure for use in examining larval digestive physiology
S.K. Tonheim, M. Espe, A.J. Raae (Bergen, Norway), M.J. Darias (Cadiz, Spain) and I. Rønnestad (Bergen, Norway) 553

Diet digestible energy content affects lysine utilization, but not dietary lysine requirements of rainbow trout (*Oncorhynchus mykiss*) for maximum growth
P. Encarnação, C. de Lange (Guelph, Ontario, Canada), M. Rodehutscord (Halle, Germany), D. Hoehler (Kennesaw, GA, USA), W. Bureau and D.P. Bureau (Guelph, Canada) 569

An optimum level of vitamin A supplements for Atlantic halibut (*Hippoglossus hippoglossus* L.) juveniles
M. Moren (Bergen, Norway), I. Opstad (Storebø, Norway), M.H.G. Berntssen (Bergen, Norway), J.-L. Zambonino Infante (Plouzané, France) and K. Hamre (Bergen, Norway) 587

Bile salt-activated lipase expression during larval development in the haddock (*Melanogrammus aeglefinus*)
J.C. Perez-Casanova (Halifax, Nova Scotia, Canada), H.M. Murray (Halifax, Nova Scotia, St. John's, Newfoundland, Canada), J.W. Gallant, N.W. Ross, S.E. Douglas and S.C. Johnson (Halifax, Nova Scotia, Canada) 601

Physiology and Endocrinology

Optimization of artificial propagation in European catfish, *Silurus glanis* L.
O. Linhart, D. Gela, M. Rodina and M. Kocour (Vodnany, Czech Republic) 619

Nitrite toxicity in *Cirrhinus mrigala* (Ham.): acute toxicity and sub-lethal effect on selected haematological parameters
P.C. Das (Cuttack, India), S. Ayyappan (New Delhi, India), J.K. Jena and B.K. Das (Bhubaneşwar, India) 633

Vitamin A metabolism and early biological responses in juvenile sunshine bass (*Morone chrysops*×*M. saxatilis*) fed graded levels of vitamin A
G.-I. Hemre (Bergen, Norway), D.-F. Deng, R.P. Wilson (MS, USA) and M.H.G. Berntssen (Bergen, Norway) 645

Book reviews

Crustacean Farming: Ranching and Culture
O.V. Lindqvist (Kuopio, Finland) 659

Oceanography and Marine Biology. An Annual Review. Volume 41
L. de Groot (Santpoort-Zuid, The Netherlands) 660

Contents of *Aquaculture*, Volume 235 663